

0300#

#3

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Applicant : William B. Kerfoot
Serial No. : 09/993,152
Filed : November 6, 2001
Title : Gas-Gas-Water Treatment System for Groundwater and Soil Remediation

Art Unit: 1724

Examiner:

Commissioner for Patents
Washington, D.C. 20231

RESPONSE TO NOTICE TO FILE CORRECTED APPLICATION PAPERS

Responsive to the Notice to File Corrected Application Papers mailed December 6, 2001
(a copy of which is enclosed), applicant as a small entity submits herewith the following:

- x Substitute drawings (41 sheets) in compliance with 37 CFR 1.84. No new matter has been added.
- x A substitute specification in compliance with 37 CFR §1.52. No new matter has been added.
- x Petition for One-Month Extension of Time w/accompanying fee.

It is understood that this perfects the application and no additional papers or filing fees are required.

CERTIFICATE OF MAILING BY FIRST CLASS MAIL

I hereby certify under 37 CFR §1.8(a) that this correspondence is being deposited with the United States Postal Service as first class mail with sufficient postage on the date indicated below and is addressed to the Commissioner for Patents, Washington, D C 20231

Date of Deposit

February 14, 2002

Signature

Marie Collins


Typed or Printed Name of Person Signing Certificate

Marie Collins

Please apply any other charges or credits to Deposit Account No. 06-1050.

Respectfully submitted,

Date: 2/14/02



Denis G. Maloney
Reg. No. 29,670

Fish & Richardson P.C.
225 Franklin Street
Boston, Massachusetts 02110-2804
Telephone: (617) 542-5070
Facsimile: (617) 542-8906

20385459.doc

20385459.doc



UNITED STATES PATENT AND TRADEMARK OFFICE

COMMISSIONER FOR PATENTS
UNITED STATES PATENT AND TRADEMARK OFFICE
WASHINGTON, D.C. 20231
www.uspto.gov

APPLICATION NUMBER	FILING/RECEIPT DATE	FIRST NAMED APPLICANT	ATTORNEY DOCKET NUMBER
09/993,152	11/06/2001	William B. Kerfoot	10578-003002

CONFIRMATION NO. 1164

FORMALITIES LETTER



OC000000007166135

DENIS G. MALONEY
Fish & Richardson P.C.
225 Franklin Street
Boston, MA 02110-2804

Date Mailed: 12/06/2001

NOTICE TO FILE CORRECTED APPLICATION PAPERS

Filing Date Granted

This application has been accorded an Application Number and Filing Date. The application, however, is informal since it does not comply with the regulations for the reason(s) indicated below. Applicant is given **TWO MONTHS** from the date of this Notice within which to correct the informalities indicated below. Extensions of time may be obtained by filing a petition accompanied by the extension fee under the provisions of 37 CFR 1.136(a)

The required item(s) identified below must be timely submitted to avoid abandonment:

- A substitute specification in compliance with 37 CFR 1.52 because:
 - The specification cannot be scanned or properly stored. Page(s)
 - 1-38 do not comply with the size requirements (8 ½ by 11 inches or 21.0 by 29.7 cm). *The drawings filed are unacceptable because:
Replacement page(s), together with a statement that the replacement page(s) contain no new matter, are required.*
- Substitute drawings in compliance with 37 CFR 1.84 because:
 - drawing sheets do not have the appropriate margin(s) (see 37 CFR 1.84(g)). Each sheet must include a top margin of at least 2.5 cm. (1 inch), a left side margin of at least 2.5 cm. (1 inch), a right side margin of at least 1.5 cm. (5/8 inch), and a bottom margin of at least 1.0 cm. (3/8 inch);

*A copy of this notice **MUST** be returned with the reply.*

Initial Patent Examination Division (703) 308-1202

PART 2 - COPY TO BE RETURNED WITH RESPONSE

SECRET